European Journal of Anaesthesiology 1992, **9**, 511–528

Author Index

Abe K, Nishimura M and Yoshiya I. Local cerebral blood flow and CO_2 reactivity during prostaglandin E_1-induced hypotension in patients undergoing cerebral aneurysm surgery, 485
Ahnefeld FW *see* Ensinger H
Aissa J *see* Nathan N
Aito S *see* Pippa P
Allen RW *see* Carabine UA
Alon E *see* Chrubasik J
Antonsen S *see* Wanscher M
Apfelbaum J *see* Du Pen S
Arand D *see* Hopf H-B
Arnoux B *see* Nathan N
Arvieux CC. Comparative effects of halothane associated with verapamil and ischaemia on myocardial metabolism in isolated perfused rat hearts, 447
Arvieux CC, Pernin C, Drouet N, Mathieu JP, Hamant S, Dubois F, Cuchet P, Stieglitz P and Comet M. Comparative effects of halothane associated with verapamil and ischaemia on myocardial metabolism in isolated perfused rat hearts, 447
Atanassoff P *see* Chrubasik J
Auty B *see* Sherry E
Azmy SS *see* Grum DF

Baber N, Palmer JL, Frazer NM and Pritchard JF. Clinical pharmacology of ondansetron in postoperative nausea and vomiting, Supp. 6, 11
Balogh D *see* Benzer A
Beatty PCW and Healy TEJ. The additional work of breathing through Portex Polar 'Blue Line' pre-formed paediatric tracheal tubes, 77
Belopavlovic M *see* Buchthal A
Bendixen D *see* Ørding H
Benveniste J *see* Nathan N
Benzer A, Gottardis M, Russegger L, Langmayr J and Balogh D. Fentanyl increases cerebrospinal fluid pressure in normocapnic volunteers, 473
Blom L *see* Jakobsen C-J
Bradley EL Jr *see* Roytblat L
Buchthal A and Belopavlovic M. Somatosensory evoked potentials in cerebral aneurysm surgery, 493
Burghard R *see* Dick W

Buzina M *see* Chrubasik J

Camu F, Lauwers MH and Verbessem D. Incidence and aetiology of postoperative nausea and vomiting, Supp. 6, 25
Carabine UA, Allen RW and Moore J. Partial attenuation of the pressor response to endotracheal intubation. A comparison of the effects of intravenous clonidine and fentanyl, 325
Carpenter RL *see* Guinard J-P
Castle WM, Jukes AJ, Griffiths CJ, Roden SM and Greenstreet YLA. Safety of ondansetron, Supp. 6, 63
Cavaliere F, Masieri S, Liberini L, Proietti R and Magalini SI. Tympanometry for middle-ear effusion in unconscious ICU patients, 71
Chollet-Rivier M and Ravussin P. Midazolam-flumazenil vs. propofol in ambulatory ENT endoscopic procedures, 367
Christensen M *see* Pedersen JE
Chrubasik J, Buzina M, Schulte-Mönting J, Atanassoff P and Alon E. Intravenous tramadol for post-operative pain – comparison of intermittent dose regimens with and without maintenance infusion, 23
Clayborn L *see* Du Pen S
Comet M *see* Arvieux CC
Cominelli E *see* Pippa P
Crozier TA, Morawietz A, Drobnik L, Rieke H, Sydow M, Radke J and Kettler D. The influence of isoflurane on peri-operative endocrine and metabolic stress responses, 55
Cuchet P *see* Arvieux CC

David D *see* Ruegg PC
Davies DWL, Moylan SL and O'Sullivan G. Topical anaesthesia of the larynx: cocaine or ligocaine? A comparison of the carviovascular responses and extubation conditions of cocaine with lignocaine when applied topically to the larynx under general anaesthesia, 393
Davies R.LL *see* Sugahara S
Dicato MA and Freeman A. Experience with ondansetron in chemotherapy-induced emesis, Supp. 6, 19

Dick W, Traub E, Kraus H, Töllner U, Burghard R and Muck J. General anaesthesia versus epidural anaesthesia for primary Caesarean section – a comparative study, 15
Dirks B *see* Ensinger H
Doni L *see* Pippa P
Drobnik L *see* Crozier TA
Drouet N *see* Arvieux CC
Dubois F *see* Arvieux CC
Duncalf D *see* Kovac A
Du Pen S, Scuderi P, Wetchler B, Sung YF, Mingus M, Clayborn L, Leslie J, Talke P, Apfelbaum J, Sharifi-Azad S and Williams M. Ondansetron in the treatment of postoperative nausea and vomiting in ambulatory outpatients: a dose-comparative, stratified, multicentre study, Supp. 6, 55
Dutre P, Rolly G and Vermeulen H. Effect of intravenous hypnotics on the actions of pipecuronium, 313

Edwards AE *see* Smith CJ
Ensinger H, Lindner KH, Dirks B, Kilian J, Grünert A and Ahnefeld FW. Adrenaline: relationship between infusion rate, plasma concentration, metabolic and haemodynamic effects in volunteers, 435

Fagraeus I *see* Kovac A
Feigenwinter P *see* Leuenberger M
Ferguson BMJ *see* Smith CJ
Fernandes A *see* Pedersen JE
Fierro G *see* Sanfilippo M
Frazer NM *see* Baber N
Freudenthal Ý *see* Laitinen J
Freeman A *see* Dicato MA
Freye E, Latasch L and Portoghese PS. The delta receptor is involved in sufentanil-induced respiratory depression – opioid subreceptors mediate different effects, 457

Galzigna L *see* Manani G
Gasparetto A *see* Sanfilippo M
Gesztes T *see* Roytblat L
Gill SS, Lewis RP and Reilly CS. Maintenance of anaesthesia with propofol – a comparative study of a stepdown infusion of propofol and a low dose infusion supplemented by incremental doses, 203
Giron GP *see* Manani G
Gottardis M *see* Benzer A
Gower DE *see* Smith CJ
Graninger W *see* Heumer G
Gratz I *see* Kovac A
Griffiths CJ *see* Castle WM
Greenstreet YLA *see* Castle WM
Grünert A *see* Ensinger H
Grum DF and Azmy SS. Effect of chronic nifedipine therapy on the haemodynamic response to phenylephrine before and during halothane anaesthesia, 35
Guinard J-P, Carpenter RL and Smith HS. A prospective evaluation of the failure rate of spinal anaesthesia for transurethral prostatic resection, 7

Hahn RG. Acid-base status following glycine absorption in transurethral surgery, 1
Haigh CG *see* Isal JP
Hamant S *see* Arvieux CC
Healy TEJ *see* Beatty PCW
Hellstern K *see* Isal JP
Helmers JHJH. Oral ondansetron in the prevention of postoperative nausea and vomiting, Suppl. 6, 49
Heumer G, Graninger W and Mauritz W. Bed-size infection screening of ICU patients using Gram stained smears, 229
Hörnchen U, Schüttler J and Stoeckel H. Influence of the pulmonary circulation on adrenaline pharmacokinetics during cardiopulmonary resuscitation, 85
Hopf H-B, Arand D and Peters J. Sympathetic blockade by thoracic epidural anaesthesia suppresses renin release in response to hypotension, but activates the vasopressin system, 63
Houweling PL, Ionescu TI, Hoynck van Papendrecht AAGM, Schimmel GH, Verkooyen R and Smalhout B. A haemodynamic comparison of epidural versus intrathecal sufentanil to supplement general anaesthesia for abdominal aortic surgery, 95
Hoynck van Papendrecht AAGM *see* Houweling PL
Hunt PCW *see* Lewis RP

Inall FC *see* Isal JP
Ionescu TI *see* Houweling PL
Isal JP, Haigh CE, Hellstern IC, Inall FC, Joslyn AF, Kanarek BK, Kaplan LA and Povey PM. The clinical development of ondansetron for use in the prevention and treatment of postoperative nausea and vomiting, Supp. 6, 33

Jakobsen C-J and Blom L. Effect of pre-operative metroprolol on cardiovascular and catecholamine response and bleeding during hysterectomy, 209
Jen-Chuen Hsieh *see* Ping-Wing Lui
Jørgensen HR *see* Wanscher M
Johnston KR *see* Sugahara S
Jones RM *see* Wrigley SR
Joslyn AF *see* Isal JP
Joslyn AF *see* Kovac A
Jukes AJ *see* Castle WM
Juniper CJ *see* Sugahara S

Kanarek BK *see* Isal JP
Kaplan LA *see* Isal JP
Karvonen J *see* Laitinen J
Kashimoto S *see* Kume M
Katz J *see* Roytblat L
Kaufmann MA *see* Schaefer HG
Kettler D *see* Crozier TA
Kiiskilä E-L *see* Laitinen J
Kilian J *see* Ensinger H
Kissin I *see* Roytblat L
Kjær-Nielsen *see* Wanscher M
Knudsen F *see* Wanscher M
Koopman-van Gemert A *see* Van Beem H
Kovac A, McKenzie R, O'Connor T, Duncalf D, Gratz I, Fagraeus I, McLeskey C and Joslyn AF. Prophylactic intravenous ondansetron in female outpatients undergoing gynaecological surgery: a multicentre close-comparison study, Supp. 6, 37
Kraus H *see* Dick W
Kruls H *see* Van Beem H
Kumazawa T *see* Kume M
Kume M, Kashimoto S and Kumazawa T. Functional and metabolic effects of mexiletine in the rat heart-lung preparation, 223

Laitinen J, Nuutinen L, Kiiskilä E-L, Freudenthal Ý, Ranta P and Karvonen J. Comparison of intravenous diclofenac, indomethacin and oxycodone as post-operative analgesics in patients undergoing knee surgery, 29
Langmayr J *see* Benzer A
Latasch L *see* Freye E
Lauwers MH *see* Camu F
Leslie J *see* Du Pen S
Leuenberger M, Feigenwinter P and Zbinden AM. Gas leakage in eight anaesthesia circle systems, 121
Lewis RP *see* Gill SS
Lewis RP, Spiers SPW, McLaren IM, Hunt PCW and Smith HS. Pethidine as a spinal anaesthetic agent – a comparison with plain bupivacaine in patients undergoing transurethral resection of the prostate, 105
Liberini L *see* Cavaliere F
Licia de Gregorio A *see* Sanfilippo M
Lindner KH *see* Ensinger H
Loria Y *see* Ruegg PC

Magalini SI *see* Cavaliere F
Manani G, Valenti S, Segatto A, Zanette G, Giron GP, Galzigna L and Vincenti E. Interaction between thiopentone and subhypnotic doses of ketamine, 43
Marinelli C *see* Pippa P
Marsch SCU, Schaefer H-G, Tschan C and Meier B. Dreaming and anaesthesia: total i.v. anaesthesia with propofol versus balanced volatile anaesthesia with enflurane, 331
Marsch SCW *see* Schaefer HG
Martin LVH. A simple system for patient-controlled analgesia, 335
Masieri S *see* Cavaliere F
Mathieu JP *see* Arvieux CC
Mauritz W *see* Heumer G
Mauritz W *see* Schindler I
Mayer N *see* Weinstabl C
McKenzie R *see* Kovac A
McLaren IM *see* Lewis RP
McLeskey C *see* Kovac A
Meert TF, Mesens J, Verheyen P and Noorduin H. Hydroxypropyl-β-cyclodextrin can modulate the activity of spinally administered sufentanil, 399
Meier B *see* Marsch SCU
Mesens J *see* Meert TF
Micozzi S *see* Pippa P
Mi..gus M *see* Du Pen S
Moore J *see* Carabine UA
Morawietz A *see* Crozier TA
Moylan SL *see* Davies DWL
Muck J *see* Dick W

Nathan N, Aissa J, Benveniste J and Arnoux B. Role of paf-acether in protamine-induced thrombocytopenia in rabbits, 347
Naylor RJ and Rudd JA. Pharmacology of ondansetron, Supp. 6, 3
Nishimura M *see* Abe K
Noorduin H *see* Meert TF
Notermans SLH *see* Van Beem H

Nuutinen L *see* Laitinen J

O'Connor T *see* Kovac A
O'Sullivan G *see* Davies DWL
Ørding H and Bendixen D. Sources of variability in halothane and caffeine contracture tests for susceptibility to malignant hyperthermia, 367

Padfield A and Stamp JM. Anaesthesia for laser surgery, 353
Palmer JL *see* Baber N
Pedersen JE, Fernandes A and Christensen M. Halothane 2% for Caesarean section, 319
Peh-Kuang Lu *see* Ping-Wing Lui
Pernin C *see* Arvieux CC
Peters J *see* Hopf H-B
Ping-Wing Lui, Peh-Kuang Lu, Jen-Chuen Hsieh and Tak-Yu Lee. Post-operative muscle rigidity in an infant, 419
Pippa P, Aito S, Cominelli E, Doni L, Rabassini M, Marinelli C and Micozzi S. Brachial plexus block using the transcoracobrachial approach, 235
Portoghese PS *see* Freye E
Povey PM *see* Isal JP
Pritchard JF *see* Baber N
Proietti R *see* Cavaliere F
Puri GD. Respiratory dead space under anaesthesia in patients with mitral stenosis, 387

Rabassini M *see* Pippa P
Radke J *see* Crozier TA
Ranta P *see* Laitinen J
Ravussin P *see* Chollet-Rivier M
Reilly CS *see* Gill SS
Rieke H *see* Crozier TA
Roden SM *see* Castle WM
Rolly G *see* Dutre P
Rosa G *see* Sanfilippo M
Rosen M *see* Sugahara S
Roytblat L, Katz J, Rozentsveig V, Gesztes T, Bradley EL Jr and Kissin I. Anaesthetic interaction between thiopentone and ketamine, 307
Rozentsveig V *see* Roytblat L
Rudd JA *see* Naylor RJ
Ruegg PC, David D and Loria Y. Isradipine for the treatment of hypertension following coronary artery bypass graft surgery: a randomized trial versus sodium nitroprusside, 293
Russegger L *see* Benzer A

Sanfilippo M, Fierro G, Vilardi V, Rosa G, Licia de Gregorio A and Gasparetto A. Clinical evaluation of different doses of pipecuronium bromide during nitrous-oxide-fentanyl anaesthesia in adult surgical patients, 49
Schaefer H-G *see* Marsch SCU
Schaefer HG, Marsch SCW and Kaufmann MA. Art and anaesthesia, 478
Schimmel GH *see* Houweling PL
Schindler I, Mauritz W, Weindlmayr-Goettel M and Steinbereithner K. Effects of nimodipine administration during cardiopulmonary resuscitation in pigs, 411
Schüttler J *see* Hörnchen U
Schulte-Mönting J *see* Chrubasik J
Scuderi P *see* Du Pen S
Segatto A *see* Manani G
Sharifi-Azad S *see* Du Pen S
Sherry E and Auty B. Controlled infusion devices: applications in anaesthetic practice, 273
Smalhout B *see* Houweling PL
Smith CJ, Edwards AE, Gower DE, Ferguson BMJ and Williams CP. Leucocyte migration: effects of *in vitro* exposure to anaesthetic agents: possible potentiation of effects by adrenaline, 463
Smith G. Chairman's summary, Supp. 6, 67
Smith HS *see* Guinard J-P
Smith HS *see* Lewis RP
Spiers SPW *see* Lewis RP
Spiss CK *see* Weinstabl C
Stamp JM *see* Padfield A
Steinbereithner K *see* Schindler I
Stieglitz P *see* Arvieux CC
Stoeckel H *see* Hörnchen U
Sugahara S, Rosen M, Juniper CJ, Johnston KR and Davies R.Ll. Effects of intrathecal and intraperitoneal morphine on gastrointestinal motility in the rat, 341
Sung YF *see* Du Pen S
Sydow M *see* Crozier TA
Szekely SM and Vickers MD. A comparison of the effects of codeine and tramadol on laryngeal reactivity, 111

Tak-Yu Lee *see* Ping-Wing Lui
Talke P *see* Du Pen S
Töllner U *see* Dick W
Toft P *see* Wanscher M
Traub E *see* Dick W
Tschan C *see* Marsch SCU

Valenti S *see* Manani G

Van Beem H, Koopman-van Gemert A, Kruls H and Notermans SLH. Spinal monitoring during vertebral column surgery under continuous alfentanil infusion, 287
Verheyen P *see* Meert TF
Verkooyen R *see* Houweling PL
Vermeulen H *see* Dutre P
Vickers MD *see* Szekely SM
Vilardi V *see* Sanfilippo M
Vincenti E *see* Manani G

Wanscher M, Antonsen S, Toft P, Kjær-Nielsen, Knudsen F and Jørgensen HR. The influence of tourniquet ischaemia on post-operative degranulation of polymorphonuclear granulocytes, 217
Weindlmayr-Goettel M *see* Schindler I
Weinstabl C, Mayer N and Spiss CK. Sufentanil decreases cerebral blood flow velocity in patients with elevated intracranial pressure, 481
Wetchler B *see* Du Pen S
Williams CP *see* Smith CJ
Williams M *see* Du Pen S
Wrigley SR and Jones RM. Inhalational agents – an update, 185

Yoshiya I *see* Abe K

Zanette G *see* Manani G
Zbinden AM *see* Leuenberger M

Keyword Index

ACID-BASE EQUILIBRIUM, 1, 15
AMINO ACIDS
  glycine, 1
ANAESTHESIA, 217, 367, Supp. 6, 33
  abdominal aortic, 95
  Apgar score, 15
  neonatal outcome, 15
  obstetric, 15, 319
  outpatient, Supp. 6, 37
ANAESTHETICS, REGIONAL
  epidural intrathecal, 95
  sufentanil, 95
ANAESTHETIC TECHNIQUES
  brachial plexus, 235
  epidural anaesthesia, 63
  hypotensive anaesthesia, 485
  infusion, 203
  regional, 393
  spinal, 7, 105, 341
  TIVA, 377
  tracheal intubation, 325
  topical, 393
ANAESTHETIC VOLATILE
  halothane, 35, 209, 319, 447
  enflurane, 331
ANAESTHETICS, LOCAL
  bupivacaine, 7, 463
  cocaine, 393
  lignocaine, 393, 463
  tetracaine, 7
ANAESTHETICS, 203
  halothane, 367
  volatile, 367
ANAESTHETICS INTRAVENOUS
  keptamine, 43, 307
  midazolam, 377
  propofol, 331, 377
  thiopentone, 43, 307
ANALGESIA
  epidural, 399
  patient-controlled, 335
  post-operative, 23, 335
  spinal, 399
ANALGESIC TECHNIQUE
  infusion, 23
ANALGESICS
  alfentanil, 287
  codeine, 111
  diclofenac, 29
  fentanyl, 473
  indomethacin, 29
  morphine, 335, 341, 463
  oxycodone, 29
  pethidine, 105, 335
  sufentanil, 399, 457, 481
  tramadol, 23, 111
ANATOMY
  aneurysm, 493
  prevertebral fascia, 235
ANATAGONIST
  flumazenil, 377

BACTERIA
  culture, 229
  Gram staining, 229
BLOOD
  complement, 217
  elastase, 217
  heparin, 347
  loss, 209
  paf-acether, 347
  platelets, 347
  protamine leukocytes, 347
BLOOD PRESSURE, 435
BRAIN
  cerebral aneurysm, 485
  cerebral blood flow velocity, 481
  cerebrospinal fluid pressure, 473
CO_2 reactivity, 485
  infarction, 493
  intracranial pressure, 481

CARBON DIOXIDE
  gradients, 387
  tension, 387
COMPLICATIONS, 367
  coma, 71
  hypertension, 293
  hypotension, 63
  middle-ear effusion, 71
  postoperative nausea and vomiting, Supp. 6, 3, 25, 33, 37, 49, 55, 63
  TUR syndrome, 1

EAR
  tympanic membrane, 71
EQUIPMENT
  anaesthesia circle system, 121
  endotracheal tubes, 77
  leakage, 121

GASTROINTESTINAL TRACT, 341

HEART
  adrenaline, 85
  anti-arrhythmics, 223
  cardiac massage, 411

experimental fibrillation, 411
fatty acid metabolism, 447
metabolism, 223
myocardial ischaemia, 447
pulse rate, 435
resuscitation, 85
ventricular fibrillation, 85
verapamil, 447
HORMONES
renin, 63
vasopressin, 63
HYPERTHERMIA
malignant, 367
HYPNOTICS
etomidate, 313
methohexitone, 313
midazolam, 313
propofol, 313

IMMUNE RESPONSE, 463
INFECTION
screening, 229
INHALATIONAL ANAESTHETICS
halothane, 55
isoflurane, 55
INTENSIVE CARE, 229
artificial ventilation, 71
INTERACTIONS, 43, 307
ISCHAEMIA
lactoferrin, 217
polymorphonuclear granulocytes, 217

LARYNX
glottis, 111

MEASUREMENT TECHNIQUES
glottic stop, 111
haemodynamics, 95
impedance audiometry, 71
resistance to breathing, 77
tympanometry, 71
MEMORY, 331
METABOLISM
fatty acids, 435
glucose, 435
lactate, 435
MONITORING
evoked potentials, 287, 493

NEUROMUSCULAR RELAXANT
pipecuronium, 49, 313

PAIN
haemodynamic and cerebral effects, 411
post-operative, 29, 335
PHARMACODYNAMICS, 43
endobronchial administration, 85
pulmonary circulation, 85

PHARMACOKINETICS
bioavailability, Supp. 6, 11
kinetics, Supp. 6, 11
PHARMACOLOGY
anti-emetics, Supp. 6, 3, 25, 33, 37
clondine, 325
cyclodextrin, 399
fentanyl, 325
isradipine, 293
metoclopramide, Supp. 6, 19
mexiletine, 223
naltrindole, 457
nifedipine, 35
nimodipine, 411
nitroprusside, 293
ondansetron, Supp. 6, 3, 11, 19, 33, 37, 49, 55, 63
oral formulation, Supp. 6, 49
oxytocin, 319
prostaglandin E, 485
5-HT_3 receptors, Supp. 6, 3
serotonin antagonist, Supp. 6, 33, 37, 55
PREGNANCY
Apgar score, 319

RECEPTORS
opioid, 457
5-HT_3, Supp. 6, 11, 49

SPINAL CORD
evoked potentials, 457
SURGERY
cardiac, 293, 35
day stay, Supp. 6, 33, 37
hysterectomy, 209
neurologic, 493
scoliosis, 287
stress response, 55
transurethral prostatic resection, 1, 105
SYMPATHETIC NERVOUS SYSTEM, 63
adrenaline, 7, 435, 463
catecholamines, 209
metoprolol, 209
pharmacology, 7, 35
phenylephrine, 35

TOXICITY, Supp. 6, 63

VENTILATION
carbon dioxide tension, 387
dead space, 387
VOMITING
anti-emetics, Supp. 6, 19, 49, 63
nausea, Supp. 6, 19
prophylaxis, Supp. 6, 49

Subject Index

Acid-base, status following glycine absorption (Hahn), 1
ACTH, plasma levels peri-operatively, effect of isoflurane or halothane (Crozier *et al.*), 55
Adrenaline, comparison with noradrenaline in septic shock (Francois *et al.*), 153 (Abs)
, effect on leucocyte migration *in vitro* (Smith *et al.*), 463
, pharmacokinetics of during CPR (Hörnchen *et al.*), 85
, plasma levels peri-operatively, effect of isoflurane or halothane (Crozier *et al.*), 55
, relationship between infusion rate and plasma concentration (Ensinger *et al.*), 435
Airway reactivity, following smoke inhalation (Kinsella *et al.*), 142 (Abs)
Alarms, new system for ventilators (Bender *et al.*). 164 (Abs)
Alfentanil, continuous infusion of, for vertebral column surgery (Van Beem *et al.*), 287
, effect on midle cerebral artery flow velocity (Geissler *et al.*), 170 (Abs)
, pre-treatment with, before propofol intubation (Goldhill *et al.*), 144 (Abs)
Amrinone, peri-operative use of (Levy & Bailey), Supp. 5, 15
, pharmacokinetics of (Levy & Bailey), Supp. 5, 15
, pharmacology of (Honerjäger & Nawrath), Supp. 5, 7
Anaesthetics intravenous, use of propofol (Gill *et al.*), 203
, thiopentone interaction with ketamine (Manani *et al.*), 43
Analgesia, comparison of intermittent and maintenance infusions of tramadol (Chrubasik *et al.*), 23
Analgesia, post-operative, comparison of diclofenac, indomethacin and oxycodone for knee surgery (Laitinen *et al.*), 29
Anaphylaxis, biological tests in diagnosis (Laroche *et al.*), 145 (Abs)
, predictive value of skin tests (Occelli *et al.*), 145 (Abs)
Apparatus, circle system, gas leakage in (Leuenberger *et al.*), 121
Aprotinin, comparison with tranexamic acid on blood loss in cardiac surgery (Isetta *et al.*), 159 (Abs)
Art, and anaesthesia (Schaefer *et al.*), 478

Beta-endorphin, plasma levels peri-operatively, effect of isoflurane or halothane (Crozier *et al.*), 55
BIPAP (biphasic positive airways pressure), in post-cardiac, surgical patients (Stein *et al.*), 267 (Abs)
Blood loss, operative during hysterectomy, effect of metoprolol (Jakobsen & Blom), 209
Blood transfusion, comparison of 2,3-diphosphoglycerate in shed and circulating blood (Isetta *et al.*), 160 (Abs)
, reduction by aprotinin and tranexamic acid in cardiac surgery (Isetta *et al.*), 159 (Abs)
Book Review, Aids to Anaesthesia, 1. Basic Sciences, 3rd edition (Healy, Harrison & Thornton), 180
, Anaesthesia for Ophthalmic Surgery (Mostafa, ed.), 427
, Basic Physics and Measurement in Anaesthesia, 3rd edition (Parbrook, Davis & Parbrook), 179
, Clinical Monitoring (Lake), 94
, Clinical Practice of Regional Anesthesia (Prithvi Raj), 271
, Critical Care Algorithms (Armstrong *et al.*), 428
, Emergency Drug Therapy (Barsan, Jastremiski & Syverud), 94
, Handbook of Obstetric Anaesthesia (Buchan & Sharwood-Smith), 179
, Neuroanaesthesia: Handbook of Clinical and Physiologic Essentials (Newfield & Cottrell, eds), 179
, Outpatient Anesthesia (White), 180
, The Anaesthetic Plan: from Physiologic Principles to Clinical Strategies (Muravchick), 93
, Vascular Anesthesia (Kaplan, ed.), 427
, Yearbook of Anaesthesia 1991 (Miller), 428
Books Received, Introduction to Neuropharmacology (Bradley), 271
, Recent Advances in Anaesthesia 17 (Atkinson & Adams), 272

Books Received (*continued*)
, Thoracic Anesthesia, 2nd edition (Kaplan), 272
Brachial plexus, block via transcoracobrachial approach (Pippa *et al.*), 235
Brain trauma, effect of chlormethiazole on cerebral blood flow (Pinaud *et al.*), 259 (Abs)
Breathing, work of, through paediatric tracheal tubes (Beatty & Healy), 77
Bronchial epithelium, effect of gas flow on (Kleeman & Jantzen), 149 (Abs)
Bupivacaine, cardiac toxicity and effect of cardiac stimulation, hyponatraemia and hypothermia (Freysz *et al.*), 141 (Abs)
, comparison with pethidine, spinal use in prostatic surgery (Lewis *et al.*), 105
, pharmacokinetics of during continuous epidural anaesthesia in infants (Favereau *et al.*), 177 (Abs)

CABG, comparison of isradipine and sodium nitroprusside for control of hypertension following (Ruegg *et al.*), 293
, effect of nitrous oxide on myocardial performance (Colson *et al.*), 159 (Abs)
, low output syndrome after, pathophysiology of (Kaplan), Supp. 5, 3
, release of Paf-acether in (Nathan *et al.*), 160 (Abs)
, treatment of hypertension following with urapidil, sodium nitroprusside or nicardipine (Blanloeil *et al.*), 157 (Abs)
, treatment of hypertension following, with urapidil or nicardipine (Soulard *et al.*), 156 (Abs)
, use of milrinone following (Wright *et al.*), Supp. 5, 21
, use of milrinone for low output syndrome (George *et al.*), Supp. 5, 31
, use of pulsatile flow to improve renal function (Kastl-Killinger *et al.*), 168 (Abs)
Caesarean section, comparison of epidural and general anaesthesia (Dick *et al.*), 15
, halothane in (Pedersen *et al.*), 319
Caffeine, contracture test for detecting malignant hyperthermia (Ørding & Bendixden), 367
Carbon dioxide, arterial to end-tidal gradients in lung transplantation (Juvin *et al.*), 147 (Abs)
Cardiac arrest, guidelines on reporting, Utstein style (Chamberlain & Cummins), 245
Cardiac surgery, 2,3-diphosphoglycerate in shed mediastinal blood (Isetta *et al.*), 160 (Abs)
, coronary bypass, release of Paf-acether (Nathan *et al.*), 160 (Abs)
Cardiac toxicity, of bupivacaine, in various conditions (Freysz *et al.*), 141 (Abs)
Cardiopulmonary bypass, effect on blood loss of aprotinin and tranexamic acid (Isetta *et al.*), 159 (Abs)
, use of nicardipine (Lehot *et al.*), 154 (Abs)
, use of BIPAP after (Stein *et al.*), 267 (Abs)
CPR, adrenaline pharmacokinetics in (Hörnchen *et al.*), 85
Case Report, Evoked potentials, somatosensory, in cerebral aneurysm surgery (Buchthal & Belopavlovic), 493
, Horner's syndrome after long-term epidural block (Rasmussen & Horn), 133
, Left ventricular failure and rhabdomyolysis (Sabate *et al.*), 129
, Post-operative muscle rigidity in an infant (Lui *et al.*), 419
Cerebral blood flow, and CO_2 reactivity during hypotension with PGE_1 (Abe *et al.*), 485
, effect of anaesthetic agents on (Geissler *et al.*), 170 (Abs)
, effect of chlormethiazole in trauma (Pinaud *et al.*), 259 (Abs)
, effects of propofol and thiopentone during hypoxia (Audibert *et al.*), 171 (Abs)
, measured by TCD, in isoflurane-induced hypotension in children (Lepoittevin *et al.*), 173 (Abs)
, sufentanil, effect in patients with elevated intracranial pressure (Weinstabl *et al.*), 481
Chlormethiazole, effect on cerebral haemodynamics in brain trauma (Pinaud *et al.*), 259 (Abs)
Cimetidine, comparison with omeprazole in prophylaxis of acid aspiration (Bouly *et al.*), 165 (Abs)
Clonidine, comparison with fentanyl in attenuation of pressor response to intubation (Carabine *et al.*), 325
, comparison with urapidil on right ventricular function (Lepage *et al.*), 155 (Abs)
, epidural for post-operative analgesia (Carabine *et al.*), 176 (Abs)
, in peri-operative management (Carabine), 137 (Abs)

Closed-circuit anaesthesia, methane accumulation in (Rolly & Versichelen), 257 (Abs)
Cocaine, comparison with lignocaine for topical anaesthesia of the larynx (Davies *et al.*), 393
Codeine, comparison with tramadol on laryngeal reactivity (Szekely & Vickers), 111
Coma, use of tympanometry to detect middle-ear effusion (Cavaliere *et al.*), 71
Contractometer, laser, use in determining cardiac cell contractility (Costes *et al.*), 158 (Abs)
Cortisol, plasma levels peri-operatively, effect of isoflurane or halothane (Crozier *et al.*), 55
, suppression by epidural corticosteroids (Weyland *et al.*), 136 (Abs)
CPR, bystander-initiated (Kettler *et al.*), 257 (Abs)
, effect of nimodipine on effectiveness of in pigs (Schindler *et al.*), 411
CSF, drainage of, a way of monitoring (Ravussin *et al.*), 266 (Abs)
, effect of fentanyl on pressure (Benzer *et al.*), 473
Current European Anaesthesiology, 241, 499

Dextran, hypertonic, in resuscitation (Leon *et al.*), 161 (Abs)
Diabetes, insulin requirements during surgery (Raucoules *et al.*), 167 (Abs)
Diclofenac, comparison with indomethacin and oxycodone as post-operative analgesic (Laitinen *et al.*), 29
Diltiazem, effect on nitroprusside requirements (Bernard *et al.*), 172 (Abs)
Dobutamine, use in critically-ill septic patients (Vallet *et al.*), 152 (Abs)
Dreaming, effect of propofol or enflurane on (Marsch *et al.*), 331
Drug interaction, thiopentone and ketamine (Manani *et al.*), 43

Endocrine responses, peri-operative, influence of isoflurane or halothane (Crozier *et al.*), 55
Enflurane, comparison with propofol, effect on dreaming (Marsch *et al.*), 331
Epidural anaesthesia, comparison with general anaesthesia for Caesarean section (Dick *et al.*), 15
, thoracic, sympathetic blockade by, and effect on renin release in hypotension (Hopf *et al.*), 63
, comparison with general anaesthesia, neuroendocrine response in (Milon *et al.*), 175 (Abs)
, Horner's syndrome in (Case Report) (Rasmussen & Horn), 133
, in infants, pharmacokinetics of bupivacaine in (Favereau *et al.*), 177 (Abs)
, sufentanil, comparison with intrathecal route to supplement general anaesthesia (Houweling *et al.*), 95
, use of clonidine post-operatively (Carabine *et al.*), 176 (Abs)
, with sufentanil and hydroxypropyl-β-cyclodextrin (Meert *et al.*), 399
Epidural corticosteroids, and adrenal suppression (Weyland *et al.*), 136 (Abs)
Epidural clonidine (Carabine), 137 (Abs)
Equipment, circle system, gas leakage in (Leuenberger *et al.*), 121
Erythromycin, pharmacokinetics of with midazolam (Olkkola *et al.*), 260 (Abs)
European Diploma in Anaesthesiology and Intensive Care, 182, 431
Evoked potentials, monitoring of during vertebral column surgery (Van Beem *et al.*), 287

Fentanyl, anaesthesia with nitrous oxide, evaluation of pipecuronium (Sanfilippo *et al.*), 49
, comparison with clonidine in attenuation of pressor response to intubation (Carabine *et al.*), 325
, effects on CSF pressure (Benzer *et al.*), 473
, possible trigger for post-operative muscle rigidity (Lui *et al.*), 419
, with midazolam and nicardipine in CPB (Lehot *et al.*), 154 (Abs)
Flumazenil, with midazolam, comparison with propofol for endoscopy (Chollet-Rivier & Ravussin), 377

General anaesthesia, comparison with epidural anaesthesia for Caesarean section (Dick *et al.*), 15
, comparison with epidural analgesia, neuroendocrine response in (Milon *et al.*), 175 (Abs)
Glycine, effect of absorption on acid-base status (Hahn), 1

Halothane, effect of nifedipine therapy on haemodynamic response to

Halothane (*continued*)
phenylephrine (Grum & Azmy), 35
, effect on middle cerebral artery flow velocity (Geissler *et al.*), 170 (Abs)
, effect on rat cardiac cells (Costes *et al.*), 158 (Abs)
, use for Caesarean section (Pedersen *et al.*), 319
, use for detecting malignant hyperthermia (Ørding & Bendixen), 367
Headache, post-spinal (Lynch *et al.*), 174 (Abs)
HFJV, a new ventilator (Aziz *et al.*), 150 (Abs)
Horner's syndrome, association with epidural block (Case Report) (Rasmussen & Horn), 133
Hydroxypropyl-β-cyclodextrin, modulation of spinal sufentanil with (Meert *et al.*), 399
Hypertension, following CABG, use of isradipine versus sodium nitroprusside (Ruegg *et al.*), 293
, following coronary artery grafting, effects of urapidil and nicardipine (Soulard *et al.*), 156 (Abs)
, following coronary artery grafting, effects of urapidil, sodium nitroprusside and nicardipine (Blanloeil *et al.*), 157 (Abs)
Hypnotics, propofol, etomidate, midazolam, methohexitone, effect on pipecuronium (Dutre *et al.*), 313
Hypotension, deliberate, effect on intraocular pressure (Jantzen *et al.*), 261 (Abs)
, use of diltiazem to potentiate nitroprusside (Bernard *et al.*), 172 (Abs)
, use of isoflurane in children (Lepoittevin *et al.*), 173 (Abs)
, produced by PGE_1, effect on local cerebral blood flow (Abe *et al.*), 485

Ibuprofen, effect on stress response (Chambrier *et al.*), 166 (Abs)
ICU, bed-side screening of infection (Huemer *et al.*), 229
, measurement of pulmonary artery pressure with a TIP catheter (Bender *et al.*), 267 (Abs)
, a new ventilator alarm system (Bender *et al.*), 164 (Abs)
, tympanometry in (Cavaliere *et al.*), 71
Indomethacin, comparison with diclofenac and oxycodone as post-operative analgesic (Laitinen *et al.*), 29
Infection, detection by bed-side screening in ICU (Huemer *et al.*), 229
Infusion devices, a Review (Sherry & Auty), 273
Inhalational agents, a Review (Wrigley & Jones), 185
Insulin, effect of duration of surgery on needs in diabetic patients (Raucoules *et al.*), 167 (Abs)
Intracranial pressure, direct and continuous measurement of (Jantzen *et al.*), 269 (Abs)
, effect of sufentanil on blood flow in raised (Weinstabl *et al.*), 481
Intraocular pressure, effect of deliberate arterial hypotension (Jantzen *et al.*), 261 (Abs)
Intubation tracheal, effect of pre-treatment with alfentanil before propofol (Goldhill *et al.*), 144 (Abs)
, pressor response attenuated with clonidine or fentanyl (Carabine *et al.*), 325
Isoflurane, 10% and 15% MAC of, effect on PSV (Yoshizumi *et al.*), 164 (Abs)
, associatioin with verapamil without effect on myocardial ischaemia in dogs (Arvieux *et al.*), 135, 158 (Abs)
, combination with nimodipine in potentiating neuromuscular block of vecuronium (Adnet *et al.*), 172 (Abs)
, effect on peri-operative stress responses (Crozier *et al.*), 55
, effect on rat cardiac cells (Costes *et al.*), 158 (Abs)
, use to produce controlled hypotension in children (Lepoittevin *et al.*), 173 (Abs)

Ketamine, interaction with thiopentone (Roytblat *et al.*), 307
, subhypnotic doses of, interaction with thiopentone (Manani *et al.*), 43

Laparoscopy, local anaesthesia versus general anaesthesia for (Raeder *et al.*), 262 (Abs)
Larynx, reactivity, comparison of tramadol and codeine (Szekely & Vickers), 111
Lasers, anaesthesia for surgery with, a Review (Padfield & Stamp), 353
Leucocyte migration, effects of anaesthetic agents (Smith *et al.*), 463
Lignocaine, comparison with cocaine for topical anaesthesia of the larynx (Davies *et al.*), 393
, intravenous, aiding propofol intubation (Goldhill *et al.*), 144 (Abs)

Liver transplantation, effect of nicardipine on hepatic blood flow (Raucoules *et al.*), 162 (Abs)
, renal haemodynamics in (Veroli *et al.*), 162 (Abs)
Local anaesthetics, effect on leucocyte migration *in vitro* (Smith *et al.*), 463
Lung function, disturbances in mitral stenosis (Puri), 387
Lung transplantation, anaesthetic approach to (Moutafis *et al.*), 147 (Abs)
, double, without cardiopulmonary bypass, arterial to end-tidal carbon dioxide gradients in (Juvin *et al.*), 147 (Abs)

Malignant hyperthermia, halothane and caffeine contracture tests for (Ørding & Bendixen), 367
Measurement technique, intracranial pressure, continuous (Jantzen *et al.*), 269 (Abs)
, pulmonary artery pressure, comparison of TIP and Swan-Ganz catheter (Bender *et al.*), 267 (Abs)
Mendelson's syndrome, comparison of omeprazole and cimetidine in prophylaxis (Bouly *et al.*), 165 (Abs)
Methane, accumulation in a closed-circuit (Rolly & Versichelen), 257 (Abs)
Methohexitone, pharmacokinetics of, in vascular and cardiac surgery (Lehot *et al.*), 265 (Abs)
Metoprolol, pre-operatively, effect on bleeding during hysterectomy (Jakobsen & Blom), 209
Mexiletine, effects in the heart-lung preparation (Kume *et al.*), 223
Midazolam, effect on erythromycin pharmacokinetics (Olkkola *et al.*), 260 (Abs)
, with fentanyl and nicardipine in CPB (Lehot *et al.*), 154 (Abs)
, with flumazenil, comparison with propofol for endoscopy (Chollet-Rivier & Ravussin), 377
Middle-ear effusion, detection by tympanometry in unconscious patients (Cavaliere *et al.*), 71
Milrinone, effect on pulmonary vascular resistance (Harris *et al.*), Supp. 5, 27
, in patients with low cardiac output syndrome (George *et al.*), Supp. 5, 31
, pharmacology of (Honerjäger & Nawrath), Supp. 5, 7
, use after CABG (Wright *et al.*), Supp. 5, 21
, use for acute heart failure following surgery (Copp *et al.*), Supp. 5, 35
Morphine, effect on leucocyte migration *in vitro* (Smith *et al.*), 463
, intrathecal, versus intraperitoneal, effect on gastrointestinal motility (Sugahara *et al.*), 341
Muscle rigidity, induced by fentanyl and theophylline (Lui *et al.*), 419

Naloxone, combination with pentazocine in the seriously ill (Cardan), 425(C) and (Striebel & Koenigs), 425(C)
Natriuretic peptide (ANP), in cardiopulmonary bypass using pulsatile flow (Kastl-Killinger *et al.*), 168 (Abs)
Nausea and vomiting, experience with ondansetron in chemotherapy-induced (Dicato & Freeman), Supp. 6, 19
, pharmacology of ondansetron in (Naylor & Rudd), Supp. 6, 3
, postoperative, incidence and aetiology of (Camu *et al.*), Supp. 6, 25
, use of ondansetron in outpatients (Kovac *et al.*), Supp. 6, 37
, use of ondansetron to prevent (Helmers), Supp. 6, 49
Neuromuscular blocking agents, comparison of different combinations (Pollard), 264 (Abs)
, evaluation of pipecuronium (Sanfilippo *et al.*), 49
, pipecuronium, effect of intravenous hypnotics on (Dutre *et al.*), 313
, experimental porphyrinogenicity of (Böhrer *et al.*), 146 (Abs)
, vecuronium in the elderly (McCarthy *et al.*), 262 (Abs)
, vecuronium potentiated by nimodipine and isoflurane (Adnet *et al.*, 172 (Abs)
Neuromuscular function, investigation of acoustic evoked stapedius reflex as means for measuring (Bissinger *et al.*), 429
Nicardipine, comparison with urapidil and sodium nitroprusside in the treatment of hypertension following coronary artery grafting (Blanloeil *et al.*), 157 (Abs)
, comparison with urapidil in the treatment of hypertension following coronary artery grafting (Soulard *et al.*), 156 (Abs)
, effect on hepatic blood flow after transplantation (Raucoules *et al.*), 162 (Abs)

Nicardipine (*continued*)
, use in cardiopulmonary bypass (Lehot *et al.*), 154 (Abs)
Nifedipine, effect on haemodynamic response to phenylephrine during halothane anaesthesia (Grum & Azmy), 35
Nimodipine, combination with isoflurane in potentiating neuromuscular block of vecuronium (Adnet *et al.*), 172 (Abs)
, use in experimental CPR (Schindler *et al.*), 411
Nitric oxide, effect on hypoxic pulmonary vasoconstriction (Frostell *et al.*), 149 (Abs)
Nitroprusside, reduction of requirements with diltiazem (Bernard *et al.*), 172 (Abs)
Nitrous oxide, effect on myocardial performance in ischaemia (Colson *et al.*), 159 (Abs)
, plus fentanyl and pipecuronium (Sanfilippo *et al.*), 49
Noradrenaline, comparison with adrenaline in septic shock (Francois *et al.*), 153 (Abs)
, plasma levels peri-operatively, effect of isoflurane or halothane (Crozier *et al.*), 55

Old age, action of vecuronium in (McCarthy *et al.*), 262 (Abs)
Omeprazole, comparison with cimetidine in prophylaxis of acid aspiration (Bouly *et al.*), 165 (Abs)
Ondansetron, in chemotherapy- and radiotherapy-induced emesis (Dicato & Freeman), Supp. 6, 19
, pharmacology of (Naylor & Rudd), Supp. 6, 3
, prophylaxis for postoperative nausea and vomiting (Helmers), Supp. 6, 49
, safety of (Castle *et al.*), Supp. 6, 63
, use in postoperative nausea and vomiting (Isal *et al.*), Supp. 6, 33
, use in treatment of nausea and vomiting in outpatients (Du Pen *et al.*), Supp. 6, 55
, use prophylactically in outpatients (Kovac *et al.*), Supp. 6, 37
Opioid, subtypes of delta receptor, involvement in sufentanil respiratory depression (Freye *et al.*), 457
, sufentanil, epidural, comparison with intrathecal to supplement general anaesthesia (Houweling *et al.*), 95
Oxycodone, comparison with diclofenac and indomethacin as post-operative analgesic (Laitinen *et al.*), 29
Oxygen consumption, relationship to oxygen delivery and mixed venous saturation in septic shock (Levraut *et al.*), 152 (Abs)

Paediatric anaesthesia, use of propofol (Negri *et al.*), 140 (Abs)
Paf-acether, effect in protamine-induced thrombocytopenia (Nathan *et al.*), 347
, release of during CABG (Nathan *et al.*), 160 (Abs)
Pain, post-operative after knee surgery, comparison of three analgesics (Laitinen *et al.*), 29
, post-operative use of epidural clonidine (Carabine *et al.*), 176 (Abs)
, post-operative, intravenous tramadol in (Chrubasik *et al.*), 23
PCA (patient controlled analgesia), a new system (Martin), 335
Pentazocine, combination with naloxone in the seriously ill (Cardan), 425(C) and (Striebel & Koenigs), 425(C)
Pethidine, comparison with bupivacaine, spinal use in prostatic surgery (Lewis *et al.*), 105
Pharmacokinetics, of methohexitone, in vascular and cardiac surgery (Lehot *et al.*), 265 (Abs)
, of adrenaline during CPR (Hörnchen *et al.*), 85
, of bupivacaine, during epidural anaesthesia (Favereau *et al.*), 177 (Abs)
, of erythromycin in the presence of midazolam (Olkkola *et al.*), 260 (Abs)
, of propofol using optimal sampling (Guidon-Attali *et al.*), 143 (Abs)
, of ondansetron (Baber), Supp. 6, 11
Pharmacology, of anti-emetics (Camu *et al.*), Supp. 6, 25
, of intravenous ondansetron in outpatients (Kovac *et al.*), Supp. 6, 37
, of ondansetron (Dicato & Freeman), Supp. 6, 19
, of ondansetron (Naylor & Rudd), Supp. 6, 3
Phenylephrine, haemodynamic response to, effect of nifedipine therapy (Grum & Azmy), 35
Pipecuronium, clinical evaluation of (Sanfilippo *et al.*), 49
, effect of intravenous hypnotics with (Dutre *et al.*), 313
Porphyria, experimental, effect of muscle relaxants in model (Böhrer *et al.*), 146 (Abs)

Premedication, with clonidine (Carabine), 137 (Abs)
Propofol, artistic stimulation by (Schaefer *et al.*), 478
, comparison of continuous infusion and increments to maintain anaesthesia (Gill *et al.*), 203
, comparison with enflurane on dreaming (Marsch *et al.*), 331
, comparison with midazolam and flumazenil for ENT endoscopy (Chollet-Rivier & Ravussin), 377
, comparison with thiopentone in effect on cerebral blood flow during hypoxia (Audibert *et al.*), 171 (Abs)
, comparison with thiopentone, effect on regional myocardial blood flow during hypoxia (Haberer *et al.*), 264 (Abs)
, effect on middle cerebral artery flow velocity (Geissler *et al.*), 170 (Abs)
, in paediatric patients (Negri *et al.*), 140 (Abs)
, pharmacokinetics of, using optimal sampling (Guidon-Attali *et al.*), 143 (Abs)
, use for intubation (Goldhill *et al.*), 144 (Abs)
Prostaglandin E_1 (PGE_1), effect on cerebral blood flow (Abe *et al.*), 485
Prostatic resection, comparison of pethidine with bupivacaine (Lewis *et al.*), 105
, failure rate of spinal anaesthesia in (Guinard *et al.*), 7
, transurethral, glycine absorption in (Hahn), 1
PSV (peak velocity of saccadic eye movements), effect of isoflurane on (Yoshizumi *et al.*), 164 (Abs)
Pulmonary circulation, effect on adrenaline pharmacokinetics during CPR (Hörnchen *et al.*), 85
Pulmonary oedema, experimental model for (Frostell *et al.*), 139 (Abs)

RAST (radioabsorbent test) as predictor of reactions to anaesthetic drugs (Occelli *et al.*), 145 (Abs)
Regional myocardial blood flow, comparison of thiopentone with propofol during hypoxia (Haberer *et al.*), 264 (Abs)
Renal function, effect, of veno-venous bypass during liver transplantation (Veroli *et al.*), 162 (Abs)
Renin, effect of thoracic epidural anaesthesia on release post-operatively (Hopf *et al.*), 63
Respiratory function, abnormalities following smoke inhalation (Kinsella *et al.*), 142 (Abs)
Review, Anaesthesia for laser surgery (Padfield & Stamp), 353
, Controlled infusion devices (Sherry & Auty), 273
, Inhalational agents – an update (Wrigley & Jones), 185
Rhabdomyolysis, acute left ventricular failure in (Case Report) (Sabate *et al.*), 129

Septic shock, noradrenaline and adrenaline in (Francois *et al.*), 153 (Abs)
, oxygen delivery and uptake in (Levraut *et al.*), 152 (Abs)
, relationship between oxygen delivery, oxygen consumption and mixed venous saturation (Levraut *et al.*), 151 (Abs)
, use of dobutamine in (Vallet *et al.*), 152 (Abs)
Sevoflurane, effect on neurological outcome following cerebral ischaemia (Werner *et al.*), 258 (Abs)
Shock, haemorrhagic, use of hypertonic saline dextran (Leon *et al.*), 161 (Abs)
Shock, septic, noradrenaline and adrenaline in (Francois *et al.*), 153 (Abs)
, relationship between oxygen delivery and mixed venous saturation in (Levraut *et al.*), 151 (Abs)
, use of dobutamine in (Vallet *et al.*), 152 (Abs)
Simulator, ventilator, use for training of anaesthetists (Albrecht *et al.*), 268 (Abs)
Skin tests, use for predicting drug reactions (Occelli *et al.*), 145 (Abs)
Smoke inhalation (Kinsella *et al.*), 142 (Abs)
Sodium nitroprusside, comparison with isradipine for the treatment of hypertension following CABG (Ruegg *et al.*), 293
, comparison with urapidil and nicardipine in the treatment of hypertension following coronary artery grafting (Blanloeil *et al.*), 157 (Abs)
Spinal anaesthesia, failure rate of for prostatic resection (Guinard *et al.*), 7
, incidence of headache following (Lynch *et al.*), 174 (Abs)
, pethidine, comparison with bupivacaine for transurethral resection (Lewis *et al.*), 105
, sufentanil, comparison with epidural to supplement general anaesthesia (Houweling *et al.*), 95

Spinal anaesthesia (*continued*)
, use of nociceptive flexion reflex (Maurette *et al.*), 177 (Abs)
Spinal, morphine, comparison with intraperitoneal, effect on gastrointestinal motility (Sugahara *et al.*), 341
Stapedius reflex, use for monitoring neuromuscular function (Bissinger *et al.*), 429 (Abs)
Stress response, comparison of epidural and general anaesthesia for transurethral resection of the prostate (Milon *et al.*), 175 (Abs)
, effect of ibuprofen pre-treatment on (Chambrier *et al.*), 166 (Abs)
, influence of halothane on, peri-operative endocrine changes (Crozier *et al.*), 55
, influence of isoflurane on, peri-operative endocrine changes (Crozier *et al.*), 55
Sufentanil, effect on cerebral blood flow in patients with elevated intracranial pressure (Weinstabl *et al.*), 481
, epidural, comparison with intrathecal route to supplement general anaesthesia (Houweling *et al.*), 95
, evidence for the delta receptor involvement in respiratory depression (Freye *et al.*), 457
, modulation of spinal effects with hydroxypropyl-β-cyclodextrin (Meert *et al.*), 399
Surgery, abdominal aortic, epidural or spinal sufentanil in (Houweling *et al.*), 95
, cardiac, use of milrinone for acute heart failure (Copp *et al.*), Supp. 5, 35
, cardiac, use of milrinone for low cardiac output syndrome (George *et al.*), Supp. 5, 31
, cardiac, use of milrinone for low output states (Wright *et al.*), Supp. 5, 21
, cerebral aneurysm, cerebral blood flow, effects of PGE_1 (Abe *et al.*), 485
, cerebral aneurysm, SSEPs in (Buchthal & Belopavlovic), 493
, day-stay, ENT, comparison of propofol and midazolam (Chollet-Rivier & Ravussin), 377
, day-stay, gynaecological, prophylactic use of ondansetron in (Kovac *et al.*), Supp. 6, 37
, day-stay, use of ondansetron in the treatment of nausea and vomiting (Du Pen *et al.*), Supp. 6, 55
, duration of, and insulin needs (Raucoules *et al.*), 167 (Abs)
, facio-maxillary, use of conscious sedation (Lipp *et al.*), 169 (Abs)
, free flap transplantation, anaesthesiological problems in (Bunatian *et al.*), 263 (Abs)
, hysterectomy, cardiovascular and catecholamine responses after pre-operative metoprolol (Jakobsen & Blom), 209
, of knee, comparison of three analgesics (Laitinen *et al.*), 29
, laser, anaesthesia for, a Review (Padfield & Stamp), 353
, for mitral stenosis, measurement of respiratory dead space in (Puri), 387
, of the vertebral column, spinal monitoring during (Van Beem *et al.*), 287
, stress response in, influence of ibuprofen (Chambrier *et al.*), 166 (Abs)
, transurethral resection, comparison of pethidine with bupivacaine (Lewis *et al.*), 105
, transurethral resection, glycine absorption in (Hahn), 1
, transurethral resection, neuroendocrine response under epidural or general anaesthesia (Milon *et al.*), 175 (Abs)
, transurethral resection, spinal anaesthesia failure rate in (Guinard *et al.*), 7
Sympathetic blockade, by thoracic epidural anaesthesia, effect on renin and vasopressin (Hopf *et al.*), 63

TCD (transcranial Doppler), effect of anaesthetic agents on flow velocity (Geissler *et al.*), 170 (Abs)
, use to measure isoflurane-induced hypotension in children (Lepoittevin *et al.*), 173 (Abs)
Thiopentone, comparison with propofol in effect on cerebral blood flow during hypoxia (Audibert *et al.*), 171 (Abs)
, comparison with propofol, effect on regional myocardial blood flow during hypoxia (Haberer *et al.*), 264 (Abs)
, interaction with ketamine (Roytblat *et al.*), 307
, interaction with subhypnotic doses of ketamine (Manani *et al.*), 43
TIVA, propofol, versus enflurane, effect on dreaming (Marsch *et al.*), 331
Tourniquet ischaemia, effect on granulocytes (Wanscher *et al.*), 217

Tracheal tubes, paediatric, work of breathing through (Beatty & Healy), 77
Training, use of simulator of critical ventilator events (Albrecht *et al.*), 268 (Abs)
Tramadol, comparison with codeine on laryngeal reactivity (Szekely & Vickers), 111
, intravenous for post-operative pain (Chrubasik *et al.*), 23
Tranexamic acid, comparison with aprotinin on blood loss in cardiac surgery (Isetta *et al.*), 159 (Abs)
Transplantation, double lung, arterial to end-tidal carbon dioxide gradients in (Juvin *et al.*), 147 (Abs)
, liver, effect of nicardipine on hepatic blood flow (Raucoules *et al.*), 162 (Abs)
, liver, renal haemodynamics with and without bypass (Veroli *et al.*), 162 (Abs)
, lung, anaesthetic approach (Moutafis *et al.*), 147 (Abs)
Tympanometry, detection of middle ear effusion in intensive care patients (Cavaliere *et al.*), 71

Urapidil, comparison with clonidine on right ventricular function (Lepage *et al.*), 155 (Abs)
, comparison with nicardipine and sodium nitroprusside in the treatment of hypertension following CABG (Blanloeil *et al.*), 157 (Abs)
, comparison with nicardipine in the treatment of hypertension following CABG (Soulard *et al.*), 156 (Abs)
Utstein style, recommendations for reporting out-of-hospital cardiac arrest (Chamberlain & Cummins), 245

Vasopressin, effect of thoracic epidural anaesthesia on (Hopf *et al.*), 63
Vecuronium, potentiation of blockade with nimodipine and isoflurane (Adnet *et al.*), 172 (Abs)
, duration of action in the elderly (McCarthy *et al.*), 262 (Abs)
Ventilation, artificial, use of BIPAP (Stein *et al.*), 267 (Abs)
Ventilators, a new alarm system (Bender *et al.*), 164 (Abs)
Ventricular drainage, cerebral, external, monitoring of (Ravussin *et al.*), 266 (Abs)
Verapamil, association with isoflurane without effect on myocardial ischaemia in dogs (Arvieux *et al.*), 135, 158 (Abs)

Referees for 1992

A.P. Adams
S. Agoston
A.R. Aitkenhead
A.M. Black
L.H. Booij
K. Budd
P.A. Carli
J.N. Cashman
J. Chrubasik
R.S. Clark
G. Cooper
I.M. Corall
T.A. Crozier
W. Dick
P. Duvaldestin
P. Foëx
A.A. Gilbertson
H. Gilly
D. Goldhill
J.P. Haberer
G.M. Hall
M. Harmer
G.H. Hempelmann
P.J. Hennis
L. Heslet
A.I. Hollmen
J.N. Horton
B. Husum
M. Huttel
P. Hutton
E. Jacobsen
G. Janvier
R.W. Johnson
R.M. Jones
B. Juhl
G. Kalff
D. Kettler
F. Knudsen

H.G. Kress
K.H. Lindner
D. Lundberg
F. Magora
J. Marty
R.K. Mirakhur
J. Neumark
W.S. Nimmo
J. Norman
J.C. Otteni
E. Pfenninger
B.J. Pleuvry
I. Power
C. Prys-Roberts
M.M. Puig Riera
K. Reinhart
S. Reiz
G. Rolly
J. Rupreht
P. Scherpereel
F.T. Schuh
D.B. Scott
J. Schulte am Esh
J.W. Sear
A.A. Spence
K. Steinbereithner
J.C. Stoddart
L. Strunin
M. Sych
T. Tammisto
D. Thomson
H. Van Aken
F. Wagner
S.M. Willatts
B.A. Willis
J.S.M. Zorab

Patrons of the Academy 1992

B Braun Melsungen AG
Rudolf Diesel-Str. 16
D-6236 Eschborn 1
Germany

Organon Teknika nv
President and CEO
Veedisk 58
2300 Turnhout
Belgium

Datex Instrumentarium Corp
PO Box 357
SF-00101 Helsinki
Finland

Deutsche Abbott GmbH
Postfach 2103
Delkenheim
D-6200 Wiesbaden
Germany

Imperial Chemical Industries
Alderley House
Alderley Park
Macclesfield
Cheshire
SK10 4TF

The Wellcome Foundation Ltd
Langley Court
South Eden Park Road
Beckenham
Kent
UK

Portex Limited
Hythe
Kent
UK

Kabi Pharmacia
S-112 87 Stockholm
Sweden